


Diabetes In

NEWBERRY County, 2005



Produced by the South Carolina Department of Health and Environmental Control

Impact of Diabetes in the United States


- Diabetes affects more than 23 million Americans and contributes to almost 234,000 deaths a year.
- Diabetes is becoming more common in the United States. From 1980 through 2007, the number of Americans with diabetes increased from 5.6 million to 17.9 million
- The direct and indirect costs of diabetes in the U.S. were nearly \$174 billion in 2007.
- 72,507 people died of diabetes in the U.S. in 2006.

Diabetes in South Carolina

- Approximately 332,000 adults in South Carolinians are diagnosed with diabetes. African Americans have twice the prevalence than Whites.
- The total direct costs of hospitalizations and emergency room visits were over \$8.5 billion in 2005.
- Diabetes is the seventh leading cause of death in South Carolina, claiming 1,183 lives in 2005.


Behavioral Risk Factors

Major behavioral risk factors, such as overweight, physical inactivity and unhealthy diet, are partially responsible for development of type 2 diabetes (Fig 1).




Diabetes Prevalence

An estimated 2633 adults (9.2% of adults) in Newberry County suffer annually from Diabetes (Fig 2).



Hospital and Emergency Room Discharges

- In 2005, there were 100 hospitalizations for Diabetes in Newberry County for all ages.
- There were an additional 930 hospital discharges with diabetes-related conditions in Newberry County.
- In 2005, there were 42 emergency room (ER) visits for diabetes as the primary diagnosis, among which 21 (50%) were by African-American patients.
- There were 371 ER visits for diabetes as a related condition.




Medicare paid 64% of ER and Hospitalization charges for Newberry County (Fig 3).

Complications

- Almost all patients (97%)hospitalized in SC for diabetes had complications in 2005: 26% of hospitalizations in Newberry County (Table 1).
- In 2005, nearly three-quarters of people in SC with diabetes had hypertension, compared with only onefourth of people without diabetes.

Table 1. Hospitalizations for Diabetes Complications in Newberry County in 2005.			
Diabetes Compli-cation	Hospital Admissions	Percent of Diabetes Hospital Admissions	Total costs
Renal Failure	181	18%	\$5,819,800
Lower Extremity Amputation	22	2%	\$786,400
Keto-acidosis	33	4%	\$398,000
Retinopathy	32	3%	\$1,426,600

- In 2005, more than 60% of people with diabetes have high cholesterol.
- In 2005, the rates for lower extremity amputations among blacks in SC were four times the rates among whites.



For More Information about diabetes contact:

Division of Diabetes Prevention and Control:

DHEC Bureau of Community Health and Chronic Disease Prevention www.scdhec.gov/health/epidata/docs/EpiTechNotes.pdf

http://www.dhec.sc.gov/health/chcdp/diabetes/index.htm (803) 545-4471


Diabetes Initiative of South Carolina http://www.musc.edu/diabetes/

South Carolina Generated by: Office of Chronic Disease Epidemiology, **Bueau of Community Health and Chronic Disease** Prevention


http://www.scdhec.gov/hs/epidata/state_reports.htm

Mortality

- Diabetes is the sixth leading cause of death in Newberry County.
- A total of 22 people in Newberry County died from diabetes in 2005.



- The Newberry County mortality rate was 48.9/100,000 in 2005, above the state average.
- Newberry County ranks #4 in diabetes mortality in South Carolina 2003-2005.



Data Sources:

For more details, please view the Technical Document below

Hospital Discharges and ER Visits, contact:

Office of Research and Statistics SC **Budget and Control Board** (803) 898-9958



